Uinta Basin

How we understand the O&G sector universe

Operators Meeting 9/3/15

Any information presented in this PowerPoint is for demonstrative purposes only and represents information gathered from multiple sources, not exclusively from EPA. It is intended to identify information available as of the date presented, is not a final factual determination, and may be subject to change with additional information.

Outline

- Air Quality metrics
- O&G Production data
- Emissions data
- Tribal Minor Source Registration data
- Data gaps

4th Max 8-hour O3,									ENEFIT		
Year	Dinosaur	Vernal	New Vernal	Redwash	Ouray	Roosevelt	Myton	Whiterocks	Dragon Road	Fruitland	Rangel
2007	63										
2008	66										
2009	63			67	67						
2010	68			98							
2011	90			100			111	68		65	
2012	75	64		67	70	67	71	69	7.	2 70	1
2013	113	102		114		104	109	95	82	2 62	
2014	64	62		63	79	62	67	64		64	
				4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Proposition of the state of the				ENEFIT		Partitor (A 100 S A 10
Design Values	Dinosaur	Vernal	New Vernal	Redwash	Ouray	Roosevelt	Myton	Whiterocks	Dragon Road	Fruitland	Rangel
'09-'11	73.7			88.3	100.0		· ·				
'10-'12	77.7			88.3	101.0	4					66
'11-'13	92.7			93.7	105.0		97.0	77.3		65.7	77
'12-'14	84.0	76.0		81.3	93.7	77.7	82.3	76.0		65.3	74
Air Quality Index:											
Green	Good Air (Quality	***************************************	Principal						70000	
Yellow	Moderate	Air Qualit	ty								
Orange	Unhealth	y for Sensit	tive Groups A	Air Quality			Γ			2	
Red	Unhealth	y Air Quali	ty					Nonattair		. ***	
	BOOK - The second of the secon			ayuuun mantatatatatatatatatatatatatatatatatatalalalalalala				E TANK AND	ion o	, may per	R. 2


Air Quality

Nonattainment		Design Value (ppb)							
Designation Classification	Current 75 ppb Ozone NAAQS	70 ppb Ozone NAAQS (Estimated)	65 ppb Ozone NAAQS (Estimated)						
Marginal	76 - <86	71 - <80	66 - <75						
Moderate	86 - <100	80 - <93	75 - <87						
Serious	100 - <113	93 - <105	87 - <98						
Severe	113 - <119	105 - <111	98 - <103						
Extreme	119 - <175	111 - <163	103 - <152						

DRAFT

Very Unhealthy Air Quality

O&G Production Data




~75% of oil & gas production in Uinta Basin within exterior boundaries of Uintah & Ouray Indian Reservation

Top 20 O&G Producers

Within the exterior boundaries of U&O Within Exterior Boundaries U&O	Number of	OIL Produced
Current Operator	Wells (2014)	Barrels (2014)
NEWFIELD PRODUCTION COMPANY	1,409	7,043,408
EP ENERGY E&P COMPANY, LP	261	4,571,164
BILL BARRETT CORPORATION	284	3,151,243
CRESCENT POINT ENERGY US CORP	240	2,752,210
BERRY PETROLEUM COMPANY	578	2,171,577
ULTRA RESOURCES INC	82	1,397,871
PETROGLYPH OPERATING COMPANY INC	229	1,193,947
AXIA ENERGY LLC	43	1,106,170
QEP ENERGY COMPANY	793	1,074,473
KERR-MCGEE CORP.	2,706	1,042,197
LINN OPERATING, LLC	374	984,680
EL PASO CORPORATION	68	856,407
EOG RESOURCES, INC.	1,319	655,458
FINLEY RESOURCES, INC.	85	559,420
DEVON ENERGY CORPORATION	9	204,067
QUINEX ENERGY CORP	17	180,084
CITATION OIL AND GAS CORPORATION	43	125,897
XTO ENERGY, INC.	416	97,486
GASCO PRODUCTION COMPANY	123	74,545
HARVEST (US) HOLDINGS, INC	8	50,859
SUM TOP 20	9,087	29,293,163
Compared to TOTAL 2014 U&O:	9,640	29,499,562
Top 20 acount for	94%	99%
43	Operators accou	nt for remainder

Within exterior boundaries of U&O		
Within Exterior Boundaries U&O	Number of	GAS Produced
Current Operator	Wells (2014)	Mcf (2014)
KERR-MCGEE CORP.	2,706	203,382,460
EOG RESOURCES, INC.	1,319	35,547,477
QEP ENERGY COMPANY	793	24,401,675
BERRY PETROLEUM COMPANY	578	15,826,652
NEWFIELD PRODUCTION COMPANY	1,409	11,888,643
BILL BARRETT CORPORATION	284	11,389,526
XTO ENERGY, INC.	416	10,740,094
EP ENERGY E&P COMPANY, LP	261	8,395,942
GASCO PRODUCTION COMPANY	123	6,759,713
LINN OPERATING, LLC	374	5,740,810
WHITING OIL AND GAS CORPORATION	22	3,664,200
DOMINION EXPLORATION & PROD INC	152	3,402,929
CRESCENT POINT ENERGY US CORP	240	2,854,439
EL PASO CORPORATION	68	2,486,421
PETROGLYPH OPERATING COMPANY INC	229	2,163,362
ULTRA RESOURCES INC	82	1,450,111
AXIA ENERGY LLC	43	1,406,147
ENDURING RESOURCES, LLC	74	1,213,888
WEXPRO COMPANY	64	1,081,372
MILLER, DYER & CO. LLC	4	879,279
SUM TOP 20	9,241	354,675,140
Compared to TOTAL 2014 U&O:	9,640	361,612,254
Top 20 acount for	96%	98%
43	Operators accou	nt for remainder



WRAP – Phase III Emission Inventory

UINTA BASIN -WRAP PH.II		milionitel traininining permit voir or reconstruit in the principal visit of the control of the	isiddiaidailaidaidhea, beadailaidain muutaidainiidhidh bha gearriadari e seo ac	addithihilidida arisineenin kaddinaa kii taan ee ingaaliista teebinin k	Paulinininuminian kaasaan kunteeteen esta keesteen esta keesteen esta keesteen esta keesteen esta keesteen est	astanihkkikkiniiiikkitastikiaikkikkikikiiiikikkikiiikikasti teesisyteeseee	eniiiiniiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	tikikikikikikeessa kali Centra viiliinkikiiniinkiiliikuveesti veessa punitkiikaa	iinika laaluiiitiinida daalaatainiiiniinniinila pieka kaalkas keelas kiitid	liderate/proto-e-reliabilities
		2006 Em la	sions (tonely	347			20 12 Em l	stons (tons/ye	ar)	
Description	NOx .	VOC	CO	SOx	PM10		VOC	CO	50x	PMIC
DENYORKOT	148	19,470	12.4	0	11	225	32,555		0	17
Pneumatic devices			talian talah kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalenda O				25.053	iiikkaanaaniiiikkikinnaaniinkikinteeliin jooliiikin oo		
	0	14,357		0	0	0		0	0	Č
Preumatic pumps	0	8,336	0	0	0	0	14,322	0	0	0
Condensate tank	O.	6,195	Ď.	đ.	0	0	21,719	0		Ů.
Ungernitted Fugitives	(1,910	0	0	0		3,212	0	0	0
Permitted Sources	2,339	1,320	927	•	32	3,184	4,355	2,517	8	48
Truck Loading of Oil	0	954		0	0	0	1,391	0	0	0
Venting - Complessor Startup	Ō	825		0	0	0	1,300		0	
Venting - Complessor Shutdown		7.8.2	0	0	0	3	1,233	0	0	į.
Atherita	2,184	574	2,522	1	94	3,053	9.5.5	34,750	2	135
Compressor engines								4,236	ililliliten kramatipalitan vaalilita (aska piilitaliis).	46
	4,779	415		352	33.4	4,773	362	1.577		2.35
Venting - blowcowns	0	292			0	0	460	0	0	0
Venting - Initial completions	0	241	0	0	0		332	•	0	0
Truck Loading of Condensate	Ů.	127	0	0	Ō	•	445	0	0	0
Heaters -	1,016	58	83	7	80	1,671	95	1,420	11	1 32
Miscellaneous engines	163	39	5.9	0	1	199	63	201	٥	1
Venting - recompletions	0	37	0	0	0	0	51	0	0	0
Workoverings	25.5	24	103	21	21	271	22	91	0	15
Gas Plant Truck Loading	0	3		0	O		12			0
Condensate tank faring	una ura-an a ura vere e e e e e e e e e e e e e e e e e	0				n on historia de la decentra con esta becada estra con esta de contra de la contra de la contra de la contra d La contra de la contra del contra de la contra del la contra de la contra del la	0		Q	0
Deny drator Flating	a		aatoot vatadaatoot oo talaatoot oo talaatoo too talaa oo	C.					O	<u>(</u>
initial completion Flating				0			0			0
Total	13,093	71,546	8,727	336	623	16,547	127,495	44,925	24	631

Western Regional Air Partnership (WRAP) defines the Uinta Basin as wholly including the counties of Carbon, Duchesne, Emery, Grand, Uintah and Wasatch

GHGRP-W - 2013 Data

				from IPCC's AR4 (see FAQs tab)			
acility Id	FICSTIC	Facility Name	Basin	Total reported emissions from Onshore Oil & Gas Production	CO2 emissions (non-biogenic)	Methane (CH4) emissions	Nitrous Oxide (N2O) emissions
1000	110002994190	575 Uinta Basin QEP Energy Company	575 - Uinta Basin	418,397	29.157		33
	110055512529	Berry Petroleum Company - Unita Basin 575	575 - Uinta Basin		15,647	95,699	24
100007	110028136700	Bill Barrett Corporation - Uinta Basin (575)	575 - Uinta Easin	212.379		145/435	133
1007481	130015701990	ConocoPhillips' Uinta (\$75)	575 - Umta Basin		2.0	76,423	January Control of the Control of th
10000	110002004764	Crescent Point Energy U.S. Corp - Uinta Basin	575 - Uir/Ia (sedin		(4.017)	26,170	1.5
1200334	110034207481	EOG Resources, Inc. 575 Ulinta basin	575 - Uinta Basin	56351	1,513	561.033	1
	110054613539	EP Energy E&P 575 Uinta basin	575 - Ulrita Basin	132,740	\$ 533		4
10000	110055512271	Gasco Energy Uintah Basin Operations	575 - Uirda Basin		au.		1
1.8.844.7	110055512330	Newfield.575.Uinta	575 - Uinta Basin	104,375	34.632	51,617	77
1309163	110028136700	Uinta Basin - AAPG Province 575	575 - Uinta Basin	440,990	60,028	330,933	7
	110022007000	Uinta Basin Wexpro Company	575 - Ulrab Basin	14.330	11		
1011221	130014428770	Ultra Resources/Uintah Basin	575 - Uinta Basin	43,960	37.03	6.277	11
	110055516035	XTO Energy Inc. 575 Uintah	575 - Uinta Basin	174,221	13,638	160,492	42


EPA's Greenhouse Gas Reporting Program - Subpart W covers the Petroleum and Natural Gas Systems. Defines Uinta Basin as the counties of Carbon, Daggett, Duchesne, Uintah and Wasatch.

Tribal Minor Source Registrations

Operator	# Registrations	PM10	PM25	SO2	NOx	СО	VOC
American Gilsonite Company	į						
Anadarko Uintah Midstream, LLC							
Axia Energy, LLC							
Berry Petroleum Company							
Bill Barrett Corporation							Phylinden
Crescent Point Energy U.S. Corp							
El Paso Midstream Group, Inc							and the controlling of the first of the graph from the first on a south of the first of the firs
Enduring Resources, LLC							
EOG Resources, Inc.							and the control of th
EP Energy E&P Company, L.P.							
Gasco Energy, Inc	7/11/						Teach 1
Kerr-McGee Oil and Gas Onshore LP							
Koch Exploration Company	77,000,000,000,000						Open de la constant d
Mid-America Pipeline Company, LLC							
Monarch Natural Gas, LLC			And the second		(*)		All and the second seco
Newfield Production Company							
QEP Energy Company	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)						
QEP Field Services Company			Process Dukkous				
Red Leaf Resources, Inc.							0.000
Red Rock Gathering Company, LLC							
Rhine Construction							70 min (10 min
Rosewood Resources, Inc.							
Ultra Resources, Inc.							
US Oil Sands (Utah), Inc.							
Ute Energy, LLC							
Whiting Petroleum Company		() () () () () () () () () ()					
XTO Energy, Inc							bols — o /-
Total registrations as of 8/25/2015	5,216	241	223	161	11,690	10,562	64,278

234 facilities have emission controls on tanks


Tribal Minor Source Registrations, cont'd



cilities <5 <10, etc. ar means lities <25

Tribal Minor Source Registrations, cont'd

Facility-Wide NOx Emissions vs Number of Registered Facilities




Note: X-axis NOx TPY "5" is 0< facilities <5 "10" <=5 facility <15, etc. 38 on "10" TPY NOx bar means 20<= 658 facilities <25


	Separator T	Separator P	API Gravity Sales Oil	VOC lb/bbl
Operator 🕞	(°F) 🕞	(psig)	AVG 💂	AVG 💂
Α	82	57	62.0	6.5
В	160	30-38	40.9	1.0
С	74-75	108-138	52.0	5.9
D	60-99	200-380	51.4	1.1
F	100-168	30-85	39.6	1.3
G	70	64	32.0	0.6
Н	40-157	17-330	50.9	46
ı	50-157	80-600	50.1	5.4
J	100-108	52-700	47.4	4.2
K	40-80	25-190	44.1	0.3
L	45-90	200-325	63.7	7.2
М	158	40	34.4	1.1
N	N/A	N/A	N/A	N/A
0	64-163	60-70	30.1	0.4
Р	80	65	57.0	4.6
Q	N/A	N/A	N/A	1.0
R	48	90	54.6	8.2
S	N/A	N/A	N/A	2.2

Operator identifier was randomly assigned (i.e. not alphabetical, not by production, etc.)

Source: Tribal MS Registrations



Glycol Dehydrators on U&O Reservation



Normalized Pressurized Liquid Sample Speciation Profile – (mol %)

E&P TANKS

Operator	A	C	D	F	G	H	ı	J	K	L	O	P	R
H2S	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CO2	0.08	0.19	0.03	0.01	0.17	0.24	0.15	0.05	0.02	0.23	0.14	0.01	0.10
N2	0.01	0.00	0.00	0.01	-0.02	0.02	0.00	0.01	0.01	0.00	0.02	0.00	0.01
C1	1.40	6.46	2.32	0.38	3.13	7.06	6.38	2.66	1.16	9.74	2.64	0.15	3.70
C2	1.77	2.21	1.09	0.25	0.70	2.56	2.96	1.73	0.71	6.09	0.60	0.57	1.70
С3	4.82	2.83	1.37	0.43	1.07	4.33	2.99	2.75	1.11	9.14	0.95	2.41	4.39
i-C4	2.82	1.35	0.67	0.22	0.88	2.08	1.00	1.64	0.54	3.61	0.77	1.73	2.26
n-C4	5.97	2.73	1.27	0.59	1.11	4.29	2.48	2.38	1.11	6.86	1.05	3.55	5.12
i-C5	4.31	2.46	1.33	0.44	1.05	3.56	1.46	3.23	1.02	4.13	0.97	4.14	4.08
n-C5	4.19	2.57	1.82	0.93	1.00	3.72	2.27	2.82	1.18	4.33	0.94	3.86	4.51
C6	6.51	3.45	16.77	12.29	1.53	4.73	4.43	3.24	0.31	4.11	4.02	6.51	5.41
C7	17.75	19.21	28.81	16.74	4.43	20.09	12.70	9.01	7.80	16.00	5.85	18.71	18.41
C8	18.64	12.48	12.54	12.50	5.89	8.92	7.84	11.44	15.88	6.07	7.26	19.43	16.39
C9	7.44	8.65	6.06	10.48	4.22	5.97	5.10	5.60	8.53	4.08	5.60	6.84	5.90
C10+	11.61	20.24	5.72	28.75	72.44	20.80	38.71	46.28	50.03	14.97	65.47	15.52	16.99
Benzene	0.56	0.88	2.43	1.56	0.31	0.83	1.02	0.36	0.37	0.57	0.39	1.18	1.34
Toluene	3.28	3.92	6.08	2.74	0.38	2.76	3.25	1.96	3.62	2.57	0.66	5.21	2.57
E-Benzene	0.26	0.39	0.30	0.38	0.05	0.34	0.30	0.19	0.43	0.27	0.07	0.46	0.21
Xylenes	3.41	5.43	3.69	2.29	0.50	3.20	3.37	2.45	5.27	3.31	0.63	4.86	1.51
n-C6	5.17	3.24	7.03	7.97	1.12	3.87	2.89	2.19	0.87	3.35	1.89	4.86	5.36
224Trimethylp	0.00	1.30	0.67	1.03	0.00	0.63	0.69	0.00	0.04	0.54	0.10	0.00	0.00
API Sales Oil	62.0	52.0	51.4	39.6	32.0	50.8	50.1	47.4	44.1	63.7	30.1	57.0	54.6

TOG Condensate Ta	nk Emis	sion Prof	files: val	ues repo	orted in	weight %	6			
Species	Α	С	D	Н	ı	J	К	L	Р	R
Methane	6.2997	26.4868	42.5441	13.0250	15.2277	18.8200	41.5324	15.5540	0.7173	12.5141
Ethane	11.2580	18.1956	18.1926	12.6239	24.9393	21.8901	21.2591	17.2700	5.1086	10.7620
Propane	26.8229	19.0308	11.9138	26.0258	31.2682	32.9904	17.4148	34.5372	30.5980	36.3504
Propylene	*	*	+	**	*	-	*	-	*	*
Isobutane (or 2-Methylpi	11.6633	7.7761	3.0643	9.8883	5.0718	7.8964	4.3806	9.8265	18.0008	10.1963
N-butane	18.6914	11.8718	4.0404	13.5358	11.7698	9.1849	6.2354	13.2771	22.4188	14.9828
Isopentane (or 2-Methyll	7.4490	4.7392	1.9953	7.4246	3.1223	3.7800	2.6155	3.6517	7.8238	5.0941
N-pentane	5.4619	3.7033	1.9751	5.5026	3.8963	2.4515	2.1749	2.7245	4.9544	4.0176
N-hexane	2.3255	1.3176	2.3995	4.0770	0.7668	0.4988	0.4274	0.5787	1.4481	1.2907
Isomers of pentane	*	**	*	*	**	***	*	*	**	+
Isomers of hexane	3.6207	1.8203	7.2618	1.2800	1.1982	0.9608	0.1958	0.9225	3.1309	1.6971
Isomers of heptane	3.8975	2.8853	4.5450	4.6626	1.6431	0.8830	1.6757	1.2016	3.4996	2.0047
Isomers of octane	1.5184	1.0730	0.6245	0.5906	0.3199	0.3168	1.1290	0.1425	1.3677	0.5657
Benzene	0.2076	0.2431	0.6298	0.5383	0.2493	0.1042	0.1344	0.0844	0.2276	0.2581
Toluene	0.3921	0.2763	0.5517	0.3972	0.2422	0.1524	0.4307	0.1068	0.3364	0.1565
Ethylbenzene	0.0231	0.0061	0.0040	0.0127	0.0091	inst	0.0011	0.0038	0.0161	0.0000
Cumene	-	*	*	*	No.	*	*	**	*	der.
trimethylbenzene	**	**	*	-	*	**	-	*	*	*
M, O, & p-xylene	0.1384	0.1494	0.0444	0.1057	0.0881	0.0187	0.1602	0.0388	0.1218	0.0549
2,2,4-trimethylpentane	one .	0.2	0.0	0.1	0.1	-	0.0	0.0374	0.0	ins.
C7	-44:	*	*	*	*	*	-44-	*	*	*
C8	×e:	**	*	*	**	**	**	-	**	*
<u>C9</u>	0.2306	0.2473	0.1583	0.1167	0.0661	0.0508	0.2268	0.0327	0.2078	0.0549
C10+	0.0000	0.0264	0.0081	0.0460	0.0071	0.0010	0.0056	0.0098	0.0201	0.0000
C-5 Cycloparaffins	*	*	*	*	*	*	*	*	*	*
C-6 Cycloparaffins	**	***	**	•	*	*	*)##*	146-
C-7 Cycloparaffins	*	*	*	*	*	*	*	*	-	-
C-8 Cycloparaffins		**	•	•	*	**	*	***	NA.	**
Unidentified	*	*	*	*	-	*	*	*	-	-
Total	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000
Total M,E	17.558	44.682	60.737	25.649	40.167	40.710	62.792	32.824	5.826	23.276
API Gravity Sales Oil	62.0	52.0	51.4	50.7	50.1	47.4	44.1	63.7	57.0	54.6

TOG Oil Tank Emission Profil	les: values re	ported in w	eight %
Species	F	G	C
Methane	6.6536	38.9561	43.0950
Ethane	5.1882	15.3404	13.0040
Propane	6.8041	17.0285	15.1236
Propylene			
Isobutane (or 2-Methylpropane)	2.5083	8.7806	7.6546
N-butane	5.2310	8.2504	7.3244
Isopentane (or 2-Methylbutane)	2.4480	3.9064	3.2775
N-pentane	3.5651	2.8085	2.3326
N-hexane	13.9475	0.8053	1.1838
Isomers of pentane			
Isomers of hexane	22.2600	1.3730	3.3331
Isomers of heptane	16.9461	1.5205	1.9171
Isomers of octane	5.5348	0.7228	0.8322
Benzene	2.5466	0.1951	0.2032
Toluene	1.7094	0.0775	0.2757
Ethylbenzene	0.0899	0.0050	0.0057
Cumene			
trimethylbenzene			
M, O, & p-xylene	0.6178	0.0325	0.0392
2,2,4-trimethylpentane	1.0701	0.0000	0.0449
C7			
C8			
C9	2.2552	0.1976	0.2850
C10+	0.6241	0.0000	0.0684
C-5 Cycloparaffins			
C-6 Cycloparaffins			
C-7 Cycloparaffins			
C-8 Cycloparaffins			
Unidentified			
Total	100.000	100,000	100.000
Total M,E	11.8418	54.2965	56.0990
API Gravity Sales Oil	39.6	32.0	30.1

← Flash + W/S/B from E&P TANKS

Flash from $GOR \rightarrow$

TOG Oil Tank Emission Profiles: values reported in mol%								
Species	M	В	Q					
H2S	0.00	0.00	0.00					
N	1.46	0.64	0.57					
CO2	0.60	0.12	0.53					
C1	30.92	9.45	39.11					
C2	18.23	14.34	16.32					
СЗ	23.34	19.62	16.16					
i-C4	4.69	5.13	3.57					
n-C4	10.70	15.61	8.76	,,				
2,2-Dimethylpropane	0.00	0.05	0.03					
I-C5	3.41	6.80	3.31					
n-C5	4.07	10.72	4.39					
2,2-Dimethylbutane	0.00	0.22	0.04					
Cyclopentane	0.00	0.32	0.37					
2,3-Dimethlybutane	0.00	0.43	0.05					
2 Methylpentane	0.00	2.43	1.16					
3 Methylpentane	0.00	1.35	0.50					
n-Hexane	1.17	5.88	1.75					
Methylcyclopentane	0.00	0.74	0.53					
Benzene	0.07	0.36	0.13					
Cyclohexane	0.00	0.81	0.40					
2-Methylhexane	0.00	0.53	0.17					
3-Methylhexane	0.00	0.48	0.18					
2,2,4-Trimethylpentane	0.00	0.00	0.04					
n-Heptane	0.00	1.73	0.53					
Methylcyclohexane	0.00	0.67	0.36					
Toluene	0.05	0.23	0.10					
Other C8's	0.24	0.41	0.31					
n-Octane	0.00	0.20	0.07					
Ethylbenzene	0.00	0.00	0.00					
M&P Xylenes	0.01	0.02	0.03					
O-Xylenes	0.00	0.00	0.01					
Other C9's	0.05	0.03	0.06					
n-Nonane	0.00	0.01	0.01					
Other C10's	0.01	0.00	0.02					
n-Decane	0.00	0.00	0.01					
Undecanes+	0.00	0.00	0.02					
API Sales Oil	34.4	40.9						
	3		2017-00	10E				

TOG Glycol Dehydrato	<u> </u>	P. 20.4.2.2	yyydda111111111111111111111111111111111				
Species	D	Н	J	К	L	0	Q
Methane	35.1081	70.2166	2.3921	5.1952	4.7237	7.0977	32.4064
Ethane	6.0119	4.6730	0.9287	1.0633	2.9450	2.1288	5.1459
Propane	5.5688	2.2560	1.0283	0.9727	3.9224	5.0649	6.0543
iso-butane	1.8251	1.1025	1.0107	0.4236	1.5972	1.6909	1.5343
n-butane	3.1199	1.0694	0.9905	0.6419	2.9889	5.0614	3.4084
iso-pentane	1.5603	0.7675	1.1281	0.4032	1.6175	2.0513	1.3302
n-pentane	1.5158	0.4858	0.6800	0.3854	1.4671	2.8849	1.8152
n-hexane	1.1044	0.3586	0.8094	1.0153	1.3915	2.3667	0.8794
isomers of pentane	-	=		-	-	*	**
isomers of hexane	1.2714	0.6131	1.4415	0.8268	1.4196	2.3253	1.4090
isomers of heptane	2.4693	0.8790	2.8676	2.8166	4.3165	5.6727	0.3634
isomers of octane	-	-	4965	**	**	**	***
C-5 Compounds	ant		•		•••	-	-
C-6 Compounds	**	-	*	*	***	-	*
C-7 Compounds	*	**		**	-	****	**
C8+	7.9572	2.3245	10.6949	39.8952	16.8508	2.1291	10.5201
Benzene	4.6812	4.4616	35.7903	9.2118	8.7877	18.8657	7.7701
Isomers of propyl benzene	*	inder	**	*	*	*	with the second
Isomers of butyl benzene	*	-	***		*	-	-864
Toluene	12.0282	5.7070	29.1334	16.1865	22.1154	21.3574	13.2197
Cumene	-	~	-	*	-	**	**
1,2,4-trimethylbenzene	**	*	w	wie-	*	**	vele
Ethyl-Benzene	0.5441	0.1968	0.7627	0.4152	0.7902	1.7069	2.5963
Xylenes	9.3590	3.1154	6.4650	14.1930	15.2746	6.5196	9.6954
224 Trimethylpentane	0.0928	0.0292	0.0644	0.0839	0.1378	0.2763	0.0230
C-5 cycloparaffins	**	_	***	1844	***	·**	
C-6 cycloparaffins	2.0008	0.6167	1.0848	2.1937	3.9102	5.9079	0.9689
C-7 cycloparaffins	3.7817	1.1273	2.7274	4.0767	5.7438	6.8926	0.8601
Total	100.0000	100.0000	100.0000	100.0000	100.0000	100.0000	100.0000
Total M,E	41.1200	74.8896	3.3209	6.2585	7.6688	9.2265	37.5523

← from GRI GLYCalc

Species	D	E	F	G	Н	J	K	L	M	0	P	Q	R
Methyl alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Methane	74.3315	80.7657	59.0542	67.6564	79.2213	89.6366	79.4964	75.3122	59.7317	47.5473	76.0519	84.5296	68.6577
Ethane	10.1399	7.7534	12.9509	8.9401	7.9579	4.6836	8.6587	9.8878	14.1182	9.5711	8.1062	5.1428	9.3049
Propane	7.0328	4.2630	9.9904	10.9700	5.6784	1.7871	4.2611	5.7556	14.1391	15.0314	6.7065	4.6372	10.0007
Propylene	-	-	-	-	-	-100	~	-	-	**	*	-	-
iso-butane	1.7900	1.2675	2.3867	2.0815	1.6057	0.9822	1.1672	1.6511	2.5640	3.6825	1.6946	0.9494	2.5416
n-butane	2.5148	1.5897	5.1265	4.3353	2.1045	0.6426	1.3673	2.1854	4.7111	10.7118	2.4062	1.7660	3.7248
iso-pentane	1.1145	0.8668	2.2238	1.5238	1.0186	0.6507	0.7006	1.1311	1.4868	3.7446	1.1757	0.6880	1.5904
n-pentane	0.8948	0.6268	2.5107	1.4378	0.6622	0.2821	0.5311	0.9105	1.3644	3.8191	0.9009	0.7941	1.3519
n-hexane	0.3784	**	1.1031	190	0.2429	0.1594	0.4837	0.4880	0.4074	0.4903	0.5775	0.2461	0.5828
isomers of pentane	-	-	-	-		*	-	-		~	-	-	-
isomers of hexane	0.5639	2.8670	1.5314	2.1540	0.4771	0.4071	0.7257	0.7056	0.6105	5.0019	0.7931	0.5317	0.9087
isomers of heptane	0.4139		1.2560	0.7824	0.2049	0.2494	0.8110	0.6539	0.3771	0.1274	0.7177	0.0287	0.5148
isomers of octane	-	inc	m².	Nage:	•	was.	7964	-	-	**	*	ulpa:	-
C8+	0.1881	-	0.9889	-	0.5270	0.1097	1.1819	0.4330	0.2065	0.0720	0.0082	0.3434	0.1907
Benzene	0.0486	was.	0.2271	0.0203	0.0324	0.1647	0.0610	0.0728	0.0238	0.0167	0.1569	0.0738	0.0397
Toluene	0.0803	Sales .	0.1264	0.0198	0.0229	0.0960	0.0906	0.0864	0.0263	0.0170	0.0385	0.0833	0.0631
Cumene	-	ide		**	***	and .	*	*	ier	*	**	iner	-
1,2,4-trimethylbenzene	-	1885	SMI	1880	3 98 4	.m/v	160		1980 .	**	*	Nee-	Neer
Ethyl-Benzene	0.0023	AMY	0.0129	0.0005	0.0006	0.0019	0.0058	0.0034	0.0030	0.0004		0.0097	0.0022
Xylenes	0.0293	*	0.0555	0.0064	0.0100	0.0128	0.0435	0.0430	0.0131	0.0057	1880.	0.0322	0.0226
224 Trimethylpentane	0.0322	win-	-	0.0097	0.0164	0.0145	0.0250	0.0469	0.0450	0.0094	0.0747	0.0085	0.0389
C-5 cycloparaffins	-	ian	·w-	AMM.	**	**	New .	**	iles.	*	nês:	1801	-
C-6 cycloparaffins	0.1816	*	0.2333	*	0.1065	0.0380	0.1927	0.2318	0.0840	0.1008	0.2854	0.0737	0.1910
C-7 cycloparaffins	0.2631	1907-	0.2222	0.0622	0.1107	0.0816	0.1964	0.4017	0.0882	0.0507	0.3061	0.0618	0.2737
C-8 cycloparaffins	-	*	-	-	•	-	**	-	*	-	**	-	-
Unidentified	*	**	*	~	*	*	- Mar.	*	**	*	***	1997	196.
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Data Gaps — Research shows ...

- Discrepancy between top-down measurements and bottom-up emission inventories
 - In UB, airborne measurements ~8.9% of gas produced to atmosphere compared to GHGRP-W ~ 1.0%
 - In UB, Ozone modeling shows low negative bias for VOCs and methane by factor of 1.8 and 4.8 respectively

Data Gaps — Research shows ...

- Skewed emission distributions, fat tail, "super-emitter" ...
 a small number of sources account for a large % of emissions –
 not fixed in time or space
 - Wellpads 86 natural gas wellsites ... ~5% sites → ~60% of emissions
 - <u>Midstream Compressor Stations</u> 114 CSs ... 30% sites → ~80% of emissions
 - Gas Plants 16 gas processing plants ... 45% sites \rightarrow ~80% of emissions
 - Transmission Compressor Stations 45 CSs ... 10% sites \rightarrow ~ 50% of emissions
 - Abandoned Wells 19 abandoned wells... 3 of the 19 wells had CH4 flow rates three orders of magnitude larger than the median flow rate
 - Well Liquid Unloading 107 wells with liquid unloadings ...
 - w/o plunger lift: 20% wells → 83% of emissions
 - w/ plunger lift and manual: 20% wells → 65% of emissions
 - w/ plunger lift and automatic: 20% wells → 72% of emissions
 - Pneumatic Controllers 377 controllers ... 20% devices → 96% of emissions